




D8144190ADA0\_03 14-11-25


 easy guide






IT: Tempo indicativo misurato senza rallentamenti (anta massima e peso massimo).  
EN: Indicative time measured without slowdowns (maximum door and maximum weight).  
FR: Temps indicatif mesuré sans ralentissements (vantiail maximum et poids maximum).  
DE: Gemessene Richtzeit ohne Abbremsen (maximaler Flügel und maximales Gewicht).  
ES: Tiempo orientativo medido sin ralentizaciones (puerta máxima y peso máximo).  
NL: Indicatieve tijd gemeten zonder vertragingen (maximale vleugel en maximaal gewicht).  
PT: Tempo indicativo medido sem desacelerações (porta máxima e peso máximo).  
GR: Ενδεικτικός χρόνος μετρημένος χωρίς επιβραδύνσεις (μέγιστο φύλλο και μέγιστο βάρος).  
PL: Orientacyjny czas mierzony bez spowolnień (maksymalne skrzydło i maksymalna waga).  
RU: Ориентировочное время, измеренное без замедлений (максимальная створка и максимальный вес).  
CZ: Orientační čas měřený bez zpomalení (maximální křídlo a maximální hmotnost).  
TR: Yavaşlama olmadan ölçülen gösterge süre (maksimum kanat ve maksimum ağırlık).  
HR: Indikativno vrijeme izmjereno bez usporavanja (maksimalni list i maksimalna težina).  
RO: Rîmp orientativ măsurat fără încetiniri (frunză maximă și greutate maximă).  
تقدير الوقت الاستشادي بدون تباطؤ (الحد الأقصى للباب و الوزن الأقصى).

تم قياس الوقت الاسترشادي بدون تباطؤ (الحد الأقصى للباب والوزن الأقصى)

1

**X max**



|               |               |
|---------------|---------------|
| PHOBOS AC B25 | <b>180 mm</b> |
| PHOBOS AC B50 | <b>195 mm</b> |

**PHOBOS AC B25****A ≈ B****PHOBOS AC B50**







|             |     | <b>A mm</b> |             |             |             |             |             |      |      |      |  | <b>B mm</b> | $\alpha^\circ$ |
|-------------|-----|-------------|-------------|-------------|-------------|-------------|-------------|------|------|------|--|-------------|----------------|
|             |     | 100         | 110         | 120         | 130         | 140         | 150         | 160  | 170  | 180  |  |             |                |
| <b>B mm</b> | 100 | <b>104°</b> | <b>108°</b> | <b>112°</b> | 116°        | 119°        | 116°        | 108° | 104° | 100° |  |             |                |
|             | 110 | <b>103°</b> | <b>107°</b> | <b>111°</b> | <b>114°</b> | 115°        | 108°        | 103° | 100° | 96°  |  |             |                |
|             | 120 | <b>102°</b> | <b>106°</b> | <b>109°</b> | <b>113°</b> | <b>112°</b> | 103°        | 100° | 96°  | 92°  |  |             |                |
|             | 130 | <b>101°</b> | <b>105°</b> | <b>108°</b> | <b>112°</b> | <b>107°</b> | <b>100°</b> | 96°  | 92°  |      |  |             |                |
|             | 140 | 100°        | <b>104°</b> | <b>107°</b> | <b>110°</b> | <b>101°</b> | <b>97°</b>  | 92°  | 88°  |      |  |             |                |
|             | 150 | 100°        | <b>103°</b> | <b>106°</b> | <b>101°</b> | <b>96°</b>  | <b>92°</b>  | 88°  |      |      |  |             |                |
|             | 160 | 99°         | 102°        | <b>104°</b> | <b>95°</b>  | <b>92°</b>  | <b>88°</b>  |      |      |      |  |             |                |
|             | 170 | 99°         | 102°        | 98°         | <b>93°</b>  | <b>88°</b>  |             |      |      |      |  |             |                |
|             | 180 | 98°         | 98°         | 95°         | 88°         |             |             |      |      |      |  |             |                |
|             | 190 | 98°         | 93°         | 90°         |             |             |             |      |      |      |  |             |                |
| 200         | 93° | 90°         |             |             |             |             |             |      |      |      |  |             |                |
| 210         | 90° |             |             |             |             |             |             |      |      |      |  |             |                |

|     |             | A mm        |             |             |             |             |             |             |             |             |             |            |      |      |      |  |  |  |  | B mm | $\alpha^\circ$ |
|-----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------|------|------|--|--|--|--|------|----------------|
|     |             | 100         | 110         | 120         | 130         | 140         | 150         | 160         | 170         | 180         | 190         | 200        | 210  | 220  | 230  |  |  |  |  |      |                |
| 100 | <b>104°</b> | <b>109°</b> | <b>113°</b> | <b>116°</b> | 120°        | 123°        | 125°        | 128°        | 130°        | 124°        | 122°        | 122°       | 122° | 122° | 122° |  |  |  |  |      |                |
| 110 | <b>103°</b> | <b>107°</b> | <b>111°</b> | <b>115°</b> | <b>118°</b> | 121°        | 123°        | 126°        | 128°        | 123°        | 121°        | 121°       | 121° | 121° | 114° |  |  |  |  |      |                |
| 120 | <b>102°</b> | <b>106°</b> | <b>110°</b> | <b>113°</b> | <b>116°</b> | <b>119°</b> | 122°        | 124°        | 127°        | 122°        | 121°        | 121°       | 121° | 120° | 112° |  |  |  |  |      |                |
| 130 | <b>101°</b> | <b>105°</b> | <b>109°</b> | <b>112°</b> | <b>115°</b> | <b>118°</b> | <b>120°</b> | 123°        | 125°        | 122°        | 120°        | 120°       | 120° | 116° | 110° |  |  |  |  |      |                |
| 140 | <b>101°</b> | <b>104°</b> | <b>108°</b> | <b>111°</b> | <b>114°</b> | <b>116°</b> | <b>119°</b> | <b>121°</b> | 124°        | 121°        | 119°        | 119°       | 112° | 108° | 104° |  |  |  |  |      |                |
| 150 | <b>100°</b> | <b>103°</b> | <b>107°</b> | <b>110°</b> | <b>112°</b> | <b>115°</b> | <b>118°</b> | <b>120°</b> | <b>122°</b> | 120°        | 118°        | 113°       | 108° | 104° | 100° |  |  |  |  |      |                |
| 160 | 100°        | <b>103°</b> | <b>106°</b> | <b>109°</b> | <b>111°</b> | <b>114°</b> | <b>116°</b> | <b>119°</b> | <b>121°</b> | 120°        | 117°        | 109°       | 106° | 102° | 98°  |  |  |  |  |      |                |
| 170 | 99°         | <b>102°</b> | <b>105°</b> | <b>108°</b> | <b>110°</b> | <b>113°</b> | <b>115°</b> | <b>117°</b> | <b>120°</b> | <b>119°</b> | 112°        | 106°       | 103° | 98°  | 96°  |  |  |  |  |      |                |
| 180 | 99°         | 102°        | <b>104°</b> | <b>107°</b> | <b>109°</b> | <b>112°</b> | <b>114°</b> | <b>116°</b> | <b>119°</b> | <b>116°</b> | <b>108°</b> | 103°       | 100° | 96°  | 94°  |  |  |  |  |      |                |
| 190 | 98°         | 101°        | 104°        | <b>106°</b> | <b>108°</b> | <b>111°</b> | <b>113°</b> | <b>115°</b> | <b>116°</b> | <b>110°</b> | <b>104°</b> | 100°       | 98°  | 96°  | 94°  |  |  |  |  |      |                |
| 200 | 98°         | 101°        | 103°        | <b>106°</b> | <b>108°</b> | <b>110°</b> | <b>112°</b> | <b>114°</b> | <b>113°</b> | <b>106°</b> | <b>100°</b> | 97°        | 95°  | 94°  | 92°  |  |  |  |  |      |                |
| 210 | 98°         | 100°        | 103°        | 105°        | <b>107°</b> | <b>109°</b> | <b>111°</b> | <b>113°</b> | <b>106°</b> | <b>101°</b> | <b>96°</b>  | <b>94°</b> | 92°  | 90°  | 88°  |  |  |  |  |      |                |
| 220 | 97°         | 100°        | 102°        | 104°        | 106°        | <b>108°</b> | <b>110°</b> | <b>108°</b> | <b>101°</b> | <b>97°</b>  | <b>94°</b>  | <b>91°</b> | 89°  | 87°  | 85°  |  |  |  |  |      |                |
| 230 | 97°         | 99°         | 102°        | 104°        | 106°        | 107°        | <b>109°</b> | <b>102°</b> | <b>97°</b>  | <b>94°</b>  | <b>91°</b>  | 89°        | 87°  | 85°  | 83°  |  |  |  |  |      |                |
| 240 | 97°         | 99°         | 101°        | 103°        | 105°        | 106°        | 105°        | <b>98°</b>  | <b>94°</b>  | <b>91°</b>  | 89°         | 87°        | 85°  | 83°  | 81°  |  |  |  |  |      |                |
| 250 | 96°         | 98°         | 101°        | 103°        | 105°        | 103°        | 96°         | 93°         | 91°         | 89°         | 87°         | 85°        | 83°  | 81°  | 79°  |  |  |  |  |      |                |
| 260 | 96°         | 98°         | 100°        | 102°        | 104°        | 98°         | 92°         | 90°         | 88°         | 86°         | 84°         | 82°        | 80°  | 78°  | 76°  |  |  |  |  |      |                |
| 270 | 96°         | 97°         | 100°        | 100°        | 94°         | 92°         | 90°         | 88°         | 86°         | 84°         | 82°         | 80°        | 78°  | 76°  | 74°  |  |  |  |  |      |                |
| 280 | 95°         | 97°         | 99°         | 93°         | 88°         | 86°         | 84°         | 82°         | 80°         | 78°         | 76°         | 74°        | 72°  | 70°  | 68°  |  |  |  |  |      |                |
| 290 | 95°         | 97°         | 96°         | 88°         | 86°         | 84°         | 82°         | 80°         | 78°         | 76°         | 74°         | 72°        | 70°  | 68°  | 66°  |  |  |  |  |      |                |
| 300 | 95°         | 97°         | 89°         | 86°         | 84°         | 82°         | 80°         | 78°         | 76°         | 74°         | 72°         | 70°        | 68°  | 66°  | 64°  |  |  |  |  |      |                |



2




**Z** < 122mm







BUY



3








4



25

5






**END**






## PHOBOS AC B25



## PHOBOS AC B50



# FINAL USER



**NO  
POWER**









بدون طاقة

|    |                    |
|----|--------------------|
| IT | MANOVRA MANUALE    |
| EN | MANUAL OPENING     |
| FR | OUVERTURE MANUELLE |
| ES | APERTURA MANUAL    |

|    |                     |
|----|---------------------|
| DE | MANUELLE ÖFFNUNG    |
| NL | HANDMATIGE OPENING  |
| PT | ABERTURA MANUAL     |
| EL | ΧΕΙΡΟΚΙΝΗΤΟ ΑΝΟΙΓΜΑ |

|    |                    |
|----|--------------------|
| PL | OTWIERANIE RĘCZNE  |
| RU | РУЧНОЕ ОТКРЫТИЕ    |
| CS | MANUÁLNÍ OTEVÍRÁNÍ |
| TR | MANUEL AÇMA        |

|          |                    |
|----------|--------------------|
| HR       | RUČNO OTVARANJE    |
| RO       | DESCHIDERE MANUALĂ |
| فتح يدوي | AR                 |



|    |                                                             |
|----|-------------------------------------------------------------|
| IT | Attenzione! Non spingere VIOLENTEMENTE l'anta del cancello. |
| EN | Warning! Do not push the gate WITH EXCESSIVE FORCE          |
| FR | Attention! Ne poussez pas VIOLEMMENT le vantail du portail. |
| ES | ¡Atención! No empuje CON VIOLENCIA la hoja de la puerta.    |
| DE | Achtung! Schieben Sie den Torflügel nicht MIT GEWALT an.    |

|    |                                                             |
|----|-------------------------------------------------------------|
| NL | Let op! Duw niet MET GEWELD tegen de deur van het hek.      |
| PT | Atenção! Não empurrar COM FORÇA a folha do portão.          |
| EL | Προσοχή! Μην σπρώχνετε ΜΕ ΜΕΓΑΛΗ ΔΥΝΑΜΗ το φύλλο της πύλης. |
| PL | Uwaga! Nie należy GWAŁTOWNIE popychać skrzydła bramy.       |
| RU | Внимание! Не толкайте СЛИШКОМ СИЛЬНО створку ворот.         |

|    |                                                        |
|----|--------------------------------------------------------|
| CS | Pozor! Na křídlo brány netlačte PŘÍLIŠNOU SILOU.       |
| TR | Dikkat! Kapının kanadını ŞİDDETLİ bir şekilde itmeyin. |
| HR | Nemojte gurati vrata uz primjenu PREKOMJERNE SILE!     |
| RO | Nu împingeți bariera CU FORȚĂ EXCESIVĂ.                |
| AR | لا تدفع البوابة بقوة زائدة                             |



AZIENDA CON  
SISTEMA DI GESTIONE  
CERTIFICATO DA DNV GL  
= ISO 9001 =  
= ISO 14001 =

